

	1 OPTION (HOT)	2 OPTION (HOT)
Dimension (WxDxH)	: 200 x 435 x 645 (mm)	: 280 x 435 x 645 (mm)
No of Canisters	: 1	: 2
Premix Canistor Capacity	: 1.2 kg.	: 1.2 kg.
Water Source	: 20 Liters Jar (Bubble Top)	: 20 Liters Jar (Bubble Top)
Dispensing Rate	: 4-6 Cups / Min.	: 4-6 Cups / Min.
Initial Start-up Time	: 6-8 Min.	: 6-8 Min.
Machine weight	: 20 kg.	: 25 kg.
Max. Load	: 2.2 kw.	: 2.2 kw.
Power Supply	: 230 V. AC, 15A	: 230 V. AC, 15A


	3 OPTION (HOT)	4 OPTION (HOT)
Dimension (WxDxH)	: 330 x 435 x 645 (mm)	: 425 x 435 x 645 (mm)
No of Canisters	: 3	: 4
Premix Canistor Capacity	: 1.2 kg.	: 1.2 kg.
Water Source	: 20 Liters Jar (Bubble Top)	: 20 Liters Jar (Bubble Top)
Dispensing Rate	: 4-6 Cups / Min.	: 4-6 Cups / Min.
Initial Start-up Time	: 6-8 Min.	: 6-8 Min.
Machine weight	: 30 kg.	: 37 kg.
Max. Load	: 2.2 kw.	: 2.2 kw.
Power Supply	: 230 V. AC, 15A	: 230 V. AC, 15A

	2 OPTION (COLD)	4 OPTION (HOT & COLD)
Dimension (WxDxH)	: 365 x 665 x 715 (mm)	: 465 x 665 x 715 (mm)
No of Canisters	: 2	: 4
Premix Canistor Capacity	: 1.2 kg.	: 1.2 kg.
Water Source	: 20 Liters Jar (Bubble Top)	: 20 Liters Jar (Bubble Top)
Cooling Capacity	: 25 Liters / Hr.	: 25 Liters / Hr.
Initial Start-up Time	: 40 Min. (Cooling)	: 40 Min. (Cooling)
Machine weight	: 55 kg.	: 63 kg.
Max. Load	: 2.2 kw.	: 2.2 kw.
Power Supply	: 230 V. AC, 15A	: 230 V. AC, 15A

* Technical Specifications subject to changes without prior notice.
 * The water bottle shown here indicates usage only and is not part of the vending machine package.

Café - 24
 VENDING SOLUTIONS

KAMAKSHI COOLWAYS
 RP-17, IInd Floor, Maurya Enclave, Pitampura, Delhi-34
 Phone: 011-27323326, Mobile: 9810086776
 Email: shivalik_dispenser@rediffmail.com
 Website: www.kamakshicoolways.com
 www.vendingsolution.net



Café - 24
 VENDING SOLUTIONS





1 OPTION (HOT)



2 OPTION (HOT)



3 OPTION (HOT)



2 OPTION (COLD)



4 OPTION (HOT & COLD)



4 OPTION (HOT)



FSS - 20/20



FSS - 20/40, 40/40



FSS - 40/80, 80/80



COMPACTA



SQUARE



TRENDY



FSS - 20/20 (Bubble Top)



FSS - 150/150



FSS - 200/200



SEMI JUMBO



JUMBO



MEGA

CoolSpring

MODEL	DIMENSIONS (WxDxH) in mm	CAPACITY		POWER SUPPLY	REFRIGERANT	WEIGHT (Approx)
		Storage	Cooling			
FSS - 20/20	335x335x1145	20 ltrs.	20 ltrs./hr.		R - 134 a	25 Kg.
FSS - 20/40	450x450x1190	40 ltrs.	20 ltrs./hr.		R - 134 a	38 Kg.
FSS - 40/40	450x450x1190	40 ltrs.	40 ltrs./hr.	230 ± 10%, 50 Hz single phase AC	R - 134 a	40 Kg.
FSS - 40/80	690x500x1190	80 ltrs.	40 ltrs./hr.		R - 134 a	75 Kg.
FSS - 80/80	690x500x1190	80 ltrs.	80 ltrs./hr.		R - 134 a	77 Kg.
FSS - 150/150	670x670x1280	150 ltrs.	150 ltrs./hr.		R - 134 a	125 Kg.
FSS - 200/200	850x670x1280	200 ltrs.	200 ltrs./hr.		R - 134 a	140 Kg.

FSS - Fully Stainless Steel.

MODEL Hot & Cold	DIMENSIONS (WxDxH) in mm	TEMPERATURE		POWER SUPPLY		WEIGHT	CAPACITY	
		Hot Tank	Cold Tank	Compressor	Heating Element		Hot	Cold
COMPACTA	337x342x785	75° C	Up to 7° C	110 W	500 W	24 Kg. (approx.)	3 ltrs./hr.	4 ltrs./hr.
SQUARE	337x342x1045	75° C	Up to 7° C	110 W	500 W	26 Kg. (Approx.)	3 ltrs./hr.	4 ltrs./hr.
TRENDY	337x342x1045	75° C	Up to 7° C	110 W	500 W	26 Kg. (Approx.)	3 ltrs./hr.	4 ltrs./hr.
SEMI JUMBO	337x342x1045	75° C	Up to 7° C	110 W	500 W	26 Kg. (Approx.)	3 ltrs./hr.	6 ltrs./hr.
JUMBO	337x342x1045	75° C	Up to 7° C	110 W	500 W	30 Kg. (Approx.)	3 ltrs./hr.	12 ltrs./hr.
MEGA	380x380x1120	75° C	Up to 7° C	110 W	500 W	32 Kg. (Approx.)	3 ltrs./hr.	15 ltrs./hr.

- * Technical Specifications subject to changes without prior notice.
- * The water bottle shown here indicates usage only and is not part of the water dispenser package.

Features (Water Dispensers)

- * Soft touch faucet make water flow slightest touch.
- * Stainless steel chiller and copper heating tank.
- * Increased capacity of cold water storage.
- * Fiber body makes dispenser corrosion free.
- * Complete water drainage system.
- * Full automatic temperature controlled technique.



Space provided for RO system installation in FSS Coolers & Mega



KAMAKSHI COOLWAYS

RP-17, IInd Floor, Maurya Enclave, Pitampura, Delhi-88
 Phone : 011-27323326, Mobile : +91-9810086776
 E-mail : shivalik_dispenser@rediffmail.com